

AUSTRALIAN OUTBACK



PREMIUM HYBRID FLOORING



AUSTRALIAN OUTBACK

Inspired by the raw beauty of the Australian landscape, Australian Outback is a premium hybrid flooring range that balances natural aesthetics with high-performance engineering. Designed to elevate your space while withstanding the demands of daily life, it delivers lasting style without compromise.

EASY CARE

Designed for real life, Australian Outback flooring is effortless to maintain. A simple routine of light cleaning keeps your floors looking as good as new for years to come.

LARGE FORMAT PLANKS

Generous 1830mm long planks create a seamless, flowing look, while the 180mm width enhances the natural timber aesthetic. With a solid 7mm construction, Australian Outback delivers both visual impact and lasting performance.

COMFORT UNDERFOOT

Built for everyday living, this premium hybrid flooring offers a warm, comfortable feel underfoot, creating a space that feels as good as it looks.

SCRATCH RESISTANT

Engineered for durability, Australian Outback features a high-performance wear layer that stands up to the demands of busy households and commercial environments.



High-grade water-based, non toxic protective layer
for lasting durability

0.5 mm wear layer

True-to-nature timber design film

Advanced rigid SPC core for stability, strength
and waterproof performance

High-density underlay for softness, warmth
and quietness underfoot



WHAT MAKES AUSTRALIAN OUTBACK SUPERIOR?



BUILT IN ACOUSTIC UNDERLAY

Australian Outback features a high-density acoustic underlay on every plank, providing added comfort underfoot while helping to reduce noise throughout the home.



VERSATILE APPLICATION

Designed for flexibility, Australian Outback can be installed over most stable, hard indoor surfaces including timber, concrete, and tiles.



NO ACCLIMATISATION REQUIRED

Constructed with a rigid SPC core, Australian Outback is ready to install without the need for acclimatisation, saving time on your project.



DIMENSIONAL STABILITY

The advanced SPC construction ensures Australian Outback remains stable, resisting expansion and contraction. This reduces the need for expansion joints or perimeter gaps, allowing for a cleaner, more seamless finish.

SPECIFICATIONS

PLANK DIMENSION 7MM THICK, 180MM WIDE, 1830MM LONG

UNDERLAY 2MM HIGH DENSITY ACOUSTIC UNDERLAY

CLICK SYSTEM 5G

WEAR LAYER 0.5MM THICK WEAR LAYER

EDGES MICRO BEVELLED

CLASSIFICATION COMMERCIAL & RESIDENTIAL

PLANKS PER BOX 6

BOX 1.97 SQ M / BOX

MANUFACTURER'S WARRANTY RESIDENTIAL: 20 YEARS, COMMERCIAL: 10 YEARS



VALINGE 5G

WARRANTY

Australian Outback is backed by a comprehensive 20-year residential warranty and a 10-year light commercial warranty, giving you confidence in both performance and durability. The surface is protected against wear-through to the base layer for up to 15 years under normal use. Terms and conditions apply. For full warranty details, please refer to the warranty document available upon request.

AVAILABLE IN FIVE SIGNATURE AUSTRALIAN COLOURS

Colour Matched ✓ Stair Nosings ✓ Finishing Trims ✓ Scotia

